

Suma Star-plus D1 plus

Revision: 2025-11-15

Version: 11.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Star-plus D1 plus

UFI: PUC4-G0H2-400T-5FAU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Dish wash product.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8b_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity - Oral, Category 4 (H302)
Skin irritation, Category 2 (H315)
Serious eye damage, Category 1 (H318)
Chronic aquatic toxicity, Category 3 (H412)

2.2 Label elements



Signal word: Danger.

Contains Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol (MIPA-Dodecylbenzenesulfonate), Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt (MIPA Laureth Sulfate), alkyl polyglucoside (Lauryl Glucoside)

Hazard statements:

H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear eye or face protection.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.

Suma Star-plus D1 plus

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---|-----------|--------------|----------------------|--|-------|----------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | 939-479-4 | - | 01-211997181 6-24 | Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412) | | 30-50 |
| propane-1,2-diol | 200-338-0 | 57-55-6 | 01-211945680 9-23 | Not classified as hazardous | | 10-20 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | 932-185-7 | 1187742-72-8 | 01-211997635 0-37 | Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412) | | 10-20 |
| alkyl polyglucoside | 600-975-8 | 110615-47-9 | 01-211948941 8-23 | Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) | | 3-10 |

Specific concentration limits

Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt:

- Serious eye damage, Category 1 (H318) >= 10% > Eye irritation, Category 2 (H319) >= 5%

alkyl polyglucoside:

- Skin irritation, Category 2 (H315) >= 30%
- Serious eye damage, Category 1 (H318) >= 12% > Eye irritation, Category 2 (H319) >= 1%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. Call a POISON CENTRE, doctor or physician if you feel unwell. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

Suma Star-plus D1 plus

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|------------------|---|---|
| propane-1,2-diol | 150 ppm total vapour and particulates 474 mg/m ³ total vapour and particulates 10 mg/m ³ particulates | 450 ppm total vapour and particulates 1422 mg/m ³ total vapour and particulates 30 mg/m ³ particulate |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | - | - | - | 0.49 |
| propane-1,2-diol | - | - | - | - |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | - | - | - | 15 |
| alkyl polyglucoside | - | - | - | 35.7 |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | - | No data available | 0.98 |
| propane-1,2-diol | - | - | - | - |

Suma Star-plus D1 plus

| | | | | |
|---|-------------------|---|-------------------------------|--------|
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | - | 0.132 mg/cm ² skin | 2750 |
| alkyl polyglucoside | No data available | - | No data available | 595000 |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|----------------------------|--|-------------------------------|---|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | - | No data available | 0.49 |
| propane-1,2-diol | - | - | - | - |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | - | 0.079 mg/cm ² skin | 1650 |
| alkyl polyglucoside | No data available | - | No data available | 357000 |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | - | - | - | 3.45 |
| propane-1,2-diol | - | - | 10 | 168 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | - | - | - | 175 |
| alkyl polyglucoside | - | - | - | 420 |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | - | - | - | 0.85 |
| propane-1,2-diol | - | - | 10 | 50 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | - | - | - | 52 |
| alkyl polyglucoside | - | - | - | 124 |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|---|-----------------------------|------------------------------|---------------------|-------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | 268 | 0.0268 | 0.268 | 1.37 |
| propane-1,2-diol | 260 | 26 | 183 | 20000 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | 0.014 | 0.0014 | 0.077 | 10000 |
| alkyl polyglucoside | 0.176 | 0.018 | 0.0295 | 5000 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|---|------------------------------|--------------------------|--------------|--------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | 8.1 | 8.1 | 35 | - |
| propane-1,2-diol | 572 | 57.2 | 50 | - |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | 0.0617 | 0.00617 | 7.5 | - |
| alkyl polyglucoside | 1.516 | 0.065 | 0.654 | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| | | | | | |
|--|--|-----|------|----------------|-----|
| | SWED - Sector-specific worker exposure description | LCS | PROC | Duration (min) | ERC |
|--|--|-----|------|----------------|-----|

Suma Star-plus D1 plus

| | | | | | |
|---------------------------------|-------------------|----|---------|----|-------|
| Automatic transfer and dilution | AISE_SWED_PW_8b_1 | PW | PROC 8b | 60 | ERC8b |
|---------------------------------|-------------------|----|---------|----|-------|

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 16321).

Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
 Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
 Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.08

Appropriate engineering controls:

No special requirements under normal use conditions.

Appropriate organisational controls:

No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration (min) | ERC |
|--------------------|-------------------|-----|---------|----------------|-------|
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment**Eye / face protection:**

No special requirements under normal use conditions.

Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

| | Method / remark |
|---|--|
| Physical state: Liquid | |
| Colour: Clear , Dark , Green | |
| Odour: Product specific | |
| Odour threshold: Not applicable | |
| Melting point/freezing point (°C): Not determined | Not relevant to classification of this product |
| Initial boiling point and boiling range (°C): Not determined | See substance data |

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|---|-------------------|------------------|----------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compd. with 1-aminopropane-2-ol | No data available | | |
| propane-1,2-diol | 185-190 | Method not given | 1013 |
| Alcohols, C12-14 (even numbered), ethoxylated (≤ 2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | |
| alkyl polyglucoside | > 100 | Method not given | 1013 |

| | Method / remark |
|--|--------------------|
| Flammability (solid, gas): Not applicable to liquids | |
| Flammability (liquid): Not flammable. | |
| Flash point (°C): > 93 °C | closed cup |
| Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) | |
| Lower and upper explosion limit/flammability limit (%): Not determined | See substance data |

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit | Upper limit |
|---------------|-------------|-------------|
| | | |

Suma Star-plus D1 plus

| | (% vol) | (% vol) |
|------------------|---------|---------|
| propane-1,2-diol | 2.6 | 12.6 |

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: \approx 8 (neat)
Dilution pH: \approx 7 (0.08 %)
Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Fully miscible

ISO 4316
 ISO 4316
 DM-006 Viscosity - Standard

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|---|-------------------|------------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compd. with 1-aminopropane-2-ol | No data available | | |
| propane-1,2-diol | Soluble | Method not given | |
| Alcohols, C12-14 (even numbered), ethoxylated (\leq 2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | |
| alkyl polyglucoside | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---|-------------------|------------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compd. with 1-aminopropane-2-ol | No data available | | |
| propane-1,2-diol | 18.6 | Method not given | 20 |
| Alcohols, C12-14 (even numbered), ethoxylated (\leq 2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | |
| alkyl polyglucoside | < 0.0077 | Method not given | 20 |

Method / remark

Relative density: \approx 1.05 (20 °C)
Relative vapour density: -
Particle characteristics: No data available.

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Suma Star-plus D1 plus

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) |
|---|------------------|-------------------|---------|-------------------|-------------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | LD ₅₀ | No data available | | | | Not established |
| propane-1,2-diol | LD ₅₀ | > 10000 | Rat | Method not given | | Not established |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | Not established |
| alkyl polyglucoside | LD ₅₀ | > 5000 | Rat | OECD 401 (EU B.1) | | Not established |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|---|------------------|-------------------|---------|-------------------|-------------------|--------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | Not established |
| propane-1,2-diol | LD ₅₀ | > 2000 | Rabbit | Method not given | | Not established |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | Not established |
| alkyl polyglucoside | LD ₅₀ | > 5000 | Rabbit | OECD 402 (EU B.3) | | Not established |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|------------------|------------------------------------|---------|--------------------|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | |
| propane-1,2-diol | LC ₅₀ | > 317 (mist) No mortality observed | Rabbit | Non guideline test | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | | No data available | | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|---|-------------------------------|-------------------------------|---------------------------------|------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | Not established | Not established | Not established | Not established |
| propane-1,2-diol | Not established | Not established | Not established | Not established |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | Not established | Not established | Not established | Not established |
| alkyl polyglucoside | Not established | Not established | Not established | Not established |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|-------------------|---------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | Irritant | Rabbit | OECD 404 (EU B.4) | 4 hour(s) |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|---------------------------|---------|-------------------|---------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | Not corrosive or irritant | Rabbit | OECD 405 (EU B.5) | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | Severe damage | Rabbit | OECD 405 (EU B.5) | |

Suma Star-plus D1 plus

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | No data available | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---|-------------------|------------|--------------------------|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | No data available | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|---|---|--------------------------------|---|--------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | No data available | |
| propane-1,2-diol | No evidence for mutagenicity, negative test results | Method not given | No data available | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | No data available | |
| alkyl polyglucoside | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 473 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |

Carcinogenicity

| Ingredient(s) | Effect |
|---|--|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available |
| propane-1,2-diol | No evidence for carcinogenicity, negative test results |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available |
| alkyl polyglucoside | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|--|--------------------|---------|---|---------------|---------------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | | No data available | | | | |
| propane-1,2-diol | | | No data available | | | | No evidence for reproductive toxicity |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | | No data available | | | | |
| alkyl polyglucoside | NOAEL | Developmental toxicity Maternal toxicity | 1000 | Rat | OECD 414 (EU B.31), oral OECD 421, oral | | No evidence for reproductive toxicity |

Suma Star-plus D1 plus

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | NOAEL | 100 | Rat | OECD 408 (EU B.26) | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|----------------|----------|--------------------|---------|--------|---------------|--------------------------------------|--------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | | No data available | | | | | |
| propane-1,2-diol | | | No data available | | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | | No data available | | | | | |
| alkyl polyglucoside | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available |
| propane-1,2-diol | No data available |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available |
| alkyl polyglucoside | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available |
| propane-1,2-diol | No data available |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available |
| alkyl polyglucoside | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Suma Star-plus D1 plus

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

| Ingredient(s) | Effect |
|---|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available |
| propane-1,2-diol | No data available |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available |
| alkyl polyglucoside | No data available |

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|------------------|-------------------|----------------------------|------------------|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | LC ₅₀ | 1.7 | <i>Pimephales promelas</i> | | 48 |
| propane-1,2-diol | LC ₅₀ | > 1000 | <i>Fish</i> | Method not given | 24 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | LC ₅₀ | 1 - 10 | <i>Fish</i> | ISO 7346 | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|------------------|-------------------|-----------------------------|------------------|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | LC ₅₀ | 2.4 | <i>Daphnia magna Straus</i> | EPA-660/3-75-009 | 48 |
| propane-1,2-diol | EC ₅₀ | > 100 | <i>Daphnia</i> | Method not given | 48 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | EC ₅₀ | 7 | <i>Daphnia magna Straus</i> | Method not given | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|------------------|-------------------|--|----------------------------|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | EC ₅₀ | 29 | <i>Pseudokirchneriella subcapitata</i> | EPA OPPTS 850.5400 | 96 |
| propane-1,2-diol | EC ₅₀ | 24200 | <i>Desmodesmus subspicatus</i> | OECD 201 (EU C.3) | 72 |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | EC ₅₀ | 10 - 100 | <i>Not specified</i> | 88/302/EEC, Part C, static | |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|---|----------|-------------------|---------|--------|----------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | |
| propane-1,2-diol | | No data available | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value | Inoculum | Method | Exposure |
|---------------|----------|-------|----------|--------|----------|
| | | | | | |

Suma Star-plus D1 plus

| | | (mg/l) | | | time |
|---|-----------------|-------------------|---------------------------|------------------|------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | |
| propane-1,2-diol | EC ₀ | > 20000 | <i>Pseudomonas putida</i> | Method not given | 18 hour(s) |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | |
| alkyl polyglucoside | EC ₀ | > 100 | <i>Bacteria</i> | OECD 209 | |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|-------------------|----------------------|----------|---------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 - 10 | <i>Not specified</i> | OECD 204 | 14 day(s) | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|-------------------|---------------------------|------------------|---------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | NOEC | 13020 | <i>Ceriodaphnia dubia</i> | Method not given | 7 day(s) | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | NOEC | 1 - 10 | <i>Daphnia sp.</i> | OECD 202 | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|---------------------------|---------|--------|----------------------|------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | | No data available | | | | |
| propane-1,2-diol | | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | No data available | | | | |
| alkyl polyglucoside | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|---------------------|----------|-------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| alkyl polyglucoside | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---------------|----------|-------|---------|--------|----------|------------------|
|---------------|----------|-------|---------|--------|----------|------------------|

Suma Star-plus D1 plus

| | (mg/kg dw soil) | time (days) |
|---------------------|-------------------|-------------|
| alkyl polyglucoside | No data available | |

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|---------------------|-------------------|--------|------------|--------|
| alkyl polyglucoside | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|---------------------|-------------------------------|--------|------------|--------|
| alkyl polyglucoside | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|---------------------|------|-------------------|--------|------------|--------|
| alkyl polyglucoside | | No data available | | | |

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|---|--------------------------|----------------------------|---------------------|-----------|-----------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | Activated sludge, aerobe | CO ₂ production | 76% in 28 day(s) | OECD 301B | Readily biodegradable |
| propane-1,2-diol | | | > 70 % in 28 day(s) | OECD 301A | Readily biodegradable |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | | | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl polyglucoside | Activated sludge, aerobe | BOD removal | 88% in 28 day(s) | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyl polyglucoside | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------|---------------|-------------------|------------------|--------|-------------------|
| alkyl polyglucoside | | | | | No data available |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---|-------------------|------------------|-----------------------------|--------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | |
| propane-1,2-diol | -1.07 | Method not given | No bioaccumulation expected | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | |
| alkyl polyglucoside | ≤ 0.07 | Method not given | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|--------|------------|--------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | | |
| propane-1,2-diol | No data available | | | | |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | | |
| alkyl polyglucoside | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption | Desorption | Method | Soil/sediment | Evaluation |
|---------------|------------|------------|--------|---------------|------------|
|---------------|------------|------------|--------|---------------|------------|

Suma Star-plus D1 plus

| | coefficient Log Koc | coefficient Log Koc(des) | | type | |
|---|------------------------|-----------------------------|------------------|------|--|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available | | | | |
| propane-1,2-diol | No data available | | | | Potential for mobility in soil, soluble in water |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available | | | | |
| alkyl polyglucoside | 1.7 | | Method not given | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

| Ingredient(s) | Effect |
|---|-------------------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.-, compd. with 1-aminopropane-2-ol | No data available |
| propane-1,2-diol | No data available |
| Alcohols, C12-14 (even numbered), ethoxylated (<=2.5 moles EO), sulfated, monoisopropanolamine salt | No data available |
| alkyl polyglucoside | No data available |

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants
non-ionic surfactants
perfumes

5 - 15 %
< 5 %

Suma Star-plus D1 plus

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3346

Version: 11.2

Revision: 2025-11-15

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 9

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet